Alarie, Y. A systematic review of the North American species of the *Oreodytes alaskanus* clade (Coleoptera: Dytiscidae: Hydroporinae), 847.
Albert, P.J. See Lavallée et al., 745.
Al-Ghamdi, K.M., R.K. Stewart, and **G. Boivin.** Note on overwintering of *Polynema pratensiphagum* (Walley) (Hymenoptera: Mymaridae) in southwestern Quebec, 407.
Anderson, G.S., P. Belton, and **E.M. Belton.** A population study of *Culicoides obsoletus* Meigen (Diptera: Ceratopogonidae), and other *Culicoides* species in the Fraser Valley of British Columbia, 439.
Arnason, J.T. See McCloskey et al., 163.
Augustin, S., and **J. Lévieux.** Life history of the poplar beetle *Chrysomela tremulae* F. in the central region of France, 399.
Balke, M. See Peck and Balke, 259.
Barber, K.N., W.J. Kaupp, and **S.B. Holmes.** Specificity testing of the nuclear polyhedrosis virus of the gypsy moth, *Lymantria dispar* (L.) (Lepidoptera: Lymantriidae), 1055.
Barker, P.S. Phoretic mites found on beetles associated with stored grain in Manitoba, 715.
Bauce, E. See Han and Bauce, 1043.
Bellows, T.S., Jr., and **J.G. Morse.** Toxicity of insecticides used in citrus to *Aphytis melinus* DeBach (Hymenoptera: Aphelinidae) and *Rhizobius lophanthae* (Blaisd.) (Coleoptera: Coccinellidae), 987.
Bellows, T.S., Jr., J.G. Morse, and **L.K. Gaston.** Residual toxicity of pesticides used for lepidopteran insect control on citrus to *Aphytis melinus* DeBach (Hymenoptera: Aphelinidae), 995.
Belton, E.M. See Anderson et al., 439.
Belton, P. See Anderson et al., 439.
Bergweiler, C. See Prokopy et al., 413.
Biggs, A.R. See Hagley et al., 721.
Bodnaryk, R.P. See Lamb et al., 1023.
Boivin, G. See Al-Ghamdi et al., 407.
Borden, J.H. Uncertain fate of spot infestations of the mountain pine beetle, *Dendroctonus ponderosae* Hopkins, 167.
See Teerling et al., 431.
Brandt, R.N., and **R.J. Lamb.** Distribution of feeding damage by *Phyllotreta cruciferae* (Goeze) (Coleoptera: Chrysomelidae) on oilseed rape and mustard seedlings in relation to crop resistance, 1011.
Bright, D.E. See Peschken et al., 629.
Brown, K.W. See Cunningham et al., 489.
Burkholder, W.E. See Fields et al., 317.
Burns, T. See Cunningham et al., 489.
Butler, L. See Sample et al., 173.
Byers, J.R., D.S. Yu, and **J.W. Jones.** Parasitism of the army cutworm, *Euxoa auxiliaris* (Grt.) (Lepidoptera: Noctuidae), by *Copidosoma bakeri* (Howard) (Hymenoptera: Encyrtidae) and effect on crop damage, 329.
Cadogan, B.L., and **R.D. Scharbach.** Efficacy of Foray 48B (*Bacillus thuringiensis* Berliner) applications against the spruce budworm, *Choristoneura fumiferana* (Clemens) (Lepidoptera: Tortricidae), timed for phenological development of balsam fir and black spruce, 479.
Cady, A., R. Leech, L. Sorkin, G. Stratton, and **M. Caldwell.** Acrocerid (Insecta: Diptera) life histories, behaviors, host spiders (Arachnida: Araneida), and distribution records, 931.
Caldwell, M. See Cady et al., 931.
Cameron, E.A. See Felland et al., 971.
Campbell, J.M. A review of the species of *Nitidotachinus* new genus (Coleoptera: Staphylinidae: Tachyporinae), 521.
Cannings, R.A. New synonymy of *Rhadiurgus variabilis* (Zetterstedt) (Diptera: Asilidae) with notes on morphology, natural history, and geographical variation, 337.
Cates, R.G. See Paine et al., 65.
Chan, C.K. See Forbes and Chan, 737.
Chauvin, R.L. See Unruh and Chauvin, 55.
Chenier, R. See McCloskey et al., 163.
Childers, C.C. Trap designs for monitoring emergence of *Frankliniella bispinosa* (Morgan) (Thysanoptera: Thripidae) from soil in citrus groves, 449.
Clements, D.R., and **R. Harmsen.** Prey preferences of adult and immature *Zetzellia mali* Ewing (Acari: Stigmaeidae) and *Typhlodromus caudiglans* Schuster (Acari: Phytoseiidae), 967.
Cooley, S.S. See Prokopy et al., 413.
Coutu-Sundy, J. See Hagley et al., 721.
Cramer, C., and **I.M. Smith.** A new species of the genus *Mamersellides* Lundblad, 1937 (Acari: Hydrachnida) with remarks on the family Anisitsiellidae, 769.
Cunningham, J.C., W.J. Kaupp, R.A. Fleming, K.W. Brown, and **T. Burns.** Development of nuclear polyhedrosis virus for control of gypsy moth (Lepidoptera: Lymantriidae) in Ontario. II. Reduction in dosage and emitted volume (1989 and 1990), 489.

Alarie, Y. A systematic review of the North American species of the *Oreodytes alaskanus* clade (Coleoptera: Dytiscidae: Hydroporinae), 847.
Albert, P.J. See Lavallée et al., 745.
Al-Ghamdi, K.M., R.K. Stewart, and **G. Boivin.** Note on overwintering of *Polynema pratensiphagum* (Walley) (Hymenoptera: Mymaridae) in southwestern Quebec, 407.
Anderson, G.S., P. Belton, and **E.M. Belton.** A population study of *Culicoides obsoletus* Meigen (Diptera: Ceratopogonidae), and other *Culicoides* species in the Fraser Valley of British Columbia, 439.
Arnason, J.T. See McCloskey et al., 163.
Augustin, S., and **J. Lévieux.** Life history of the poplar beetle *Chrysomela tremulae* F. in the central region of France, 399.
Balke, M. See Peck and Balke, 259.
Barber, K.N., W.J. Kaupp, and **S.B. Holmes.** Specificity testing of the nuclear polyhedrosis virus of the gypsy moth, *Lymantria dispar* (L.) (Lepidoptera: Lymantriidae), 1055.
Barker, P.S. Phoretic mites found on beetles associated with stored grain in Manitoba, 715.
Bauce, E. See Han and Bauce, 1043.
Bellows, T.S., Jr., and **J.G. Morse.** Toxicity of insecticides used in citrus to *Aphytis melinus* DeBach (Hymenoptera: Aphelinidae) and *Rhizobius lophanthae* (Blaisd.) (Coleoptera: Coccinellidae), 987.
Bellows, T.S., Jr., J.G. Morse, and **L.K. Gaston.** Residual toxicity of pesticides used for lepidopteran insect control on citrus to *Aphytis melinus* DeBach (Hymenoptera: Aphelinidae), 995.
Belton, E.M. See Anderson et al., 439.
Belton, P. See Anderson et al., 439.
Bergweiler, C. See Prokopy et al., 413.
Biggs, A.R. See Hagley et al., 721.
Bodnaryk, R.P. See Lamb et al., 1023.
Boivin, G. See Al-Ghamdi et al., 407.
Borden, J.H. Uncertain fate of spot infestations of the mountain pine beetle, *Dendroctonus ponderosae* Hopkins, 167.
See Teerling et al., 431.
Brandt, R.N., and **R.J. Lamb.** Distribution of feeding damage by *Phyllotreta cruciferae* (Goeze) (Coleoptera: Chrysomelidae) on oilseed rape and mustard seedlings in relation to crop resistance, 1011.
Bright, D.E. See Peschken et al., 629.
Brown, K.W. See Cunningham et al., 489.
Burkholder, W.E. See Fields et al., 317.
Burns, T. See Cunningham et al., 489.
Butler, L. See Sample et al., 173.
Byers, J.R., D.S. Yu, and **J.W. Jones.** Parasitism of the army cutworm, *Euxoa auxiliaris* (Grt.) (Lepidoptera: Noctuidae), by *Copidosoma bakeri* (Howard) (Hymenoptera: Encyrtidae) and effect on crop damage, 329.
Cadogan, B.L., and **R.D. Scharbach.** Efficacy of Foray 48B (*Bacillus thuringiensis* Berliner) applications against the spruce budworm, *Choristoneura fumiferana* (Clemens) (Lepidoptera: Tortricidae), timed for phenological development of balsam fir and black spruce, 479.
Cady, A., R. Leech, L. Sorkin, G. Stratton, and **M. Caldwell.** Acrocerid (Insecta: Diptera) life histories, behaviors, host spiders (Arachnida: Araneida), and distribution records, 931.
Caldwell, M. See Cady et al., 931.
Cameron, E.A. See Felland et al., 971.
Campbell, J.M. A review of the species of *Nitidotachinus* new genus (Coleoptera: Staphylinidae: Tachyporinae), 521.
Cannings, R.A. New synonymy of *Rhadiurgus variabilis* (Zetterstedt) (Diptera: Asilidae) with notes on morphology, natural history, and geographical variation, 337.
Cates, R.G. See Paine et al., 65.
Chan, C.K. See Forbes and Chan, 737.
Chauvin, R.L. See Unruh and Chauvin, 55.
Chenier, R. See McCloskey et al., 163.
Childers, C.C. Trap designs for monitoring emergence of *Frankliniella bispinosa* (Morgan) (Thysanoptera: Thripidae) from soil in citrus groves, 449.
Clements, D.R., and **R. Harmsen.** Prey preferences of adult and immature *Zetzellia mali* Ewing (Acari: Stigmaeidae) and *Typhlodromus caudiglans* Schuster (Acari: Phytoseiidae), 967.
Cooley, S.S. See Prokopy et al., 413.
Coutu-Sundy, J. See Hagley et al., 721.
Cramer, C., and **I.M. Smith.** A new species of the genus *Mamersellides* Lundblad, 1937 (Acari: Hydrachnida) with remarks on the family Anisitsiellidae, 769.
Cunningham, J.C., W.J. Kaupp, R.A. Fleming, K.W. Brown, and **T. Burns.** Development of nuclear polyhedrosis virus for control of gypsy moth (Lepidoptera: Lymantriidae) in Ontario. II. Reduction in dosage and emitted volume (1989 and 1990), 489.

Dang, P.T. Vesicas of selected tortricid and small lepidopterous species, with descriptions of new techniques of vesica eversion (Lepidoptera: Tortricidae, Oecophoridae, Gelechiidae, and Nepticulidae), 785.
Danyk, T.P., and **M. Mackauer.** Discrimination between self- and conspecific-parasitized hosts in the aphid parasitoid *Praon pequodorum* Viereck (Hymenoptera: Aphidiidae), 957.
DeMars, C.J., Jr. See Ferrell et al., 895.
Dessart, P. See Gilkeson et al., 161.
Dethier, V.G. Food-finding by polyphagous arctiid caterpillars lacking antennal and maxillary chemoreceptors, 85.
Digweed, S.C. Selection of terrestrial gastropod prey by cychrine and pterostichine ground beetles (Coleoptera: Carabidae), 463.
Dolinski, M.G. See Fields et al., 317.
Donskov, N. See McCloskey et al., 163.
Ebling, P.M. See Kaupp and Ebling, 975.
Ellis, C.R. See Schaafsma et al., 643.
Entz, T. See Kokko et al., 93.
See Schaber et al., 881.
Felland, C.M., L.A. Hull, D.A.J. Teulon, and **E.A. Cameron.** Overwintering of western flower thrips (Thysanoptera: Thripidae) in Pennsylvania, 971.
Feng, R. See Li et al., 405.
Ferrell, G.T., W.J. Otrosina, and **C.J. DeMars, Jr.** Assessing the susceptibility of white fir to the fir engraver, *Scolytus ventralis* LeC. (Coleoptera: Scolytidae), using fungal inoculation, 895.
Fields, P.G., J. Van Loon, M.G. Dolinski, J.L. Harris, and **W.E. Burkholder.** The distribution of *Rhyzopertha dominica* (F.) in western Canada, 317.
Fitzpatrick, S.M. See Troubridge and Fitzpatrick, 379.
Fitzpatrick, S.M., and **J.T. Troubridge.** A modified live-trap for assessing mating disruption of Microlepidoptera, 1135.
Fleming, R.A. See Cunningham et al., 489.
Forbes, A.R., and **C.K. Chan.** *Sitobion blackmani* sp.nov. (Homoptera: Aphididae) from *Holodiscus discolor* ssp. *discolor* (Rosaceae) in British Columbia, 737.
Freitag, R. See Kaulbars and Freitag, 267.
Gagné, R.J. See Peschken et al., 913.
Galarza, L. See Prokopy et al., 413.
Galloway, T.D. See Mwangala and Galloway, 47.
See Mwangala and Galloway, 839.
Gardiner, M.G.T. See Judd et al., 945.
Gaston, L.K. See Bellows et al., 995.
Gesner, G. See Sweeney et al., 403.
Gilkeson, L.S., J.P. McLean, and **P. Dessart.** *Aphanogmus fulmeki* Ashmead (Hymenoptera: Ceraphronidae), a parasitoid of *Aphidoletes aphidimyza* Rondani (Diptera: Cecidomyiidae), 161.
Gill, B.D. See Howden and Gill, 1091.
Gillespie, D.R. See Teerling et al., 431.
Gillespie, T.J. See Schaafsma et al., 643.
Gillott, C. See Weiss and Gillott, 831.
Hagley, E.A.C., A.R. Biggs, G.E. Timbers, and **J. Coutu-Sundy.** Effect of age of the puparium of the apple maggot, *Rhagoletis pomonella* (Walsh) (Diptera: Tephritidae), on parasitism by *Phygadeuon wiesmanni* Sachtl. (Hymenoptera: Ichneumonidae), 721.
Han, E.-N., and **E. Bauce.** Physiological changes and cold hardiness of spruce budworm larvae, *Choristoneura fumiferana* (Clem.), during pre-diapause and diapause development under laboratory conditions, 1043.
Harmsen, R. See Li and Harmsen, 633.
See Clements and Harmsen, 967.
Harris, J.L. See Fields et al., 317.
Helson, B.V. See Lyons et al., 499.
Henderson, D.E. See Li et al., 405.
Henriquez, N.P., and **J.R. Spence.** Studies of *Lathromeroidea* sp.nov. (Hymenoptera: Trichogrammatidae), a parasitoid of gerrid eggs, 693.
Hergert, C.R. See Langor and Hergert, 801.
Hodkinson, I.D. The identities of psyllids (Homoptera: Psylloidea) in the Provancher collection, with the designation of lectotypes, 1141.
Holmes, S.B. See Barber et al., 1055.
Horton, D.R. Diurnal patterns in yellow trap catch of pear psylla (Homoptera: Psyllidae): Differences between sexes and morphotypes, 761.
Howden, H.F., and **B.D. Gill.** Mesoamerican *Onthophagus* Latreille in the dicranius and mirabilis species groups (Coleoptera: Scarabaeidae), 1091.
Hull, L.A. See Felland et al., 971.

Hunt, D.W.A., G. Lintereur, S.M. Salom, and **K.R. Raffa.** Performance and preference of *Hylobius radicis* Buchanan, and *H. pales* (Herbst) (Coleoptera: Curculionidae) on various *Pinus* species, 1003.
Hutchison, W.D. Dose–mortality response of European corn borer (Lepidoptera: Pyralidae) third-instar larvae to selected insecticides, 1137.
Jactel, H. Individual variability of the flight potential of *Ips sexdentatus* Boern. (Coleoptera: Scolytidae) in relation to day of emergence, sex, size, and lipid content, 919.
Jones, G.C. See Lyons et al., 499.
Jones, J.W. See Byers et al., 329.
Judd, G.J.R., M.G.T. Gardiner, and **D.R. Thomson.** Temperature-dependent development and prediction of hatch of overwintered eggs of the fruittree leafroller, *Archips argyrospilus* (Walker) (Lepidoptera: Tortricidae), 945.
Kaminski, J. See McCloskey et al., 163.
Kapoor, N.N. See Lavallée et al., 745.
Kaulbars, M.M., and **R. Freitag.** Geographical variation, classification, reconstructed phylogeny, and geographical history of the *Cicindela sexguttata* group (Coleoptera: Cicindelidae), 267.
Kaupp, W.J. See Cunningham et al., 489.
See Barber et al., 1955.
Kaupp, W.J., and **P.M. Ebling.** Effect of mechanical processing and long-term storage on biological activity of Virtuss, 975.
Kokko, E.G. See Schaber et al., 881.
Kokko, E.G., B.D. Schaber, and **T. Entz.** Quantification of mandibular wear of female alfalfa leafcutter bees, *Megachile rotundata* (F.) (Hymenoptera: Megachilidae), by image analysis, 93.
Krafsur, E.S. See Lysyk and Krafsur, 869.
Kukalová-Peck, J., and **J.F. Lawrence.** Evolution of the hind wing in Coleoptera, 181.
Labbé, E. See Pivnick and Labbé, 725.
Laflamme, P.H. See Wyborn et al., 113.
Lamb, R.J. See Palaniswamy and Lamb, 903.
See Brandt and Lamb, 1011.
Lamb, R.J., P. Palaniswamy, K.A. Pivnick, and **M.A.H. Smith.** A selection of oilseed rape, *Brassica rapa* L., with resistance to flea beetles, *Phyllotreta cruciferae* (Goeze) (Coleoptera: Chrysomelidae), 703.
Lamb, R.J., M.A.H. Smith, and **R.P. Bodnaryk.** Leaf waxiness and the performance of *Lipaphis erysimi* (Kaltenbach) (Homoptera: Aphididae) on three *Brassica* crops, 1023.
Landry, B. The types of North American Crambinae (Lepidoptera: Pyralidae) in the Natural History Museum, London, 1077.
Landry, J.-F., and **B. Wright.** Systematics of the Nearctic species of metallic-green *Coleophora* (Lepidoptera: Coleophoridae), 549.
Lange, C.E., and **D.A. Streett.** Susceptibility of argentine melanoplines (Orthoptera: Acrididae) to entomopoxviruses (Entomopoxvirinae) from North American and African grasshoppers, 1127.
Langor, D.W., and **C.R. Hergert.** Life history, behaviour, and mortality of the western ash bark beetle, *Hylesinus californicus* (Swaine) (Coleoptera: Scolytidae), in southern Alberta, 801.
Larivière, M.-C. *Lasiomerus annulatus* (Reuter) (Hemiptera: Nabidae) in southern Canada: Ecology and phenology, with a description of the last-instar nymph, 513.
Lattin, J.D. *Brachysteles parvicornus* (Costa), an Anthocoridae new to Canada (Hemiptera: Heteroptera), 965.
Lauzon, C.R. See Prokopy et al., 413.
Lavallée, R., P.J. Albert, and **N.N. Kapoor.** Techniques for sexing live adults of the white pine weevil *Pissodes strobi* Peck (Coleoptera: Curculionidae), 745.
Lawrence, J.F. See Kukalová-Peck and Lawrence, 181.
Leech, R. See Cady et al., 931.
See Marusik and Leech, 1115.
Lévieux, J. See Augustin and Lévieux, 399.
Li, S.Y., and **R. Harmsen.** Effects of maternal density and age on the daily fecundity and offspring sex ratio in *Tetranychus urticae* Koch, 633.
Li, S.Y., D.E. Henderson, and **R. Feng.** Larval parasitoid of the zebra caterpillar, *Melanchra picta* (Harris) (Lepidoptera: Noctuidae) on blueberry in British Columbia, 405.
Lintereur, G. See Hunt et al., 1003.
Liu, Y.-B., and **J.A. McLean.** Observations on the biology of the ambrosia beetle *Gnathotrichus retusus* (LeConte) (Coleoptera: Scolytidae), 73.
Lyons, D.B., B.V. Helson, G.C. Jones, and **J.W. McFarlane.** Development of a chemical control strategy for the pine false webworm, *Acantholyda erythrocephala* (L.) (Hymenoptera: Pamphiliidae), 499.
Lysyk, T.J., and **E.S. Krafsur.** Relationship between pterin accumulation and ovarian development in the stable fly *Stomoxys calcitrans* (L.) (Diptera: Muscidae), 869.
Mackauer, M. See Sequeira and Mackauer, 423.
See Danyk and Mackauer, 957.

MacRae, I.V., and **R.A. Ring.** Life history of *Cricotopus myriophylli* Oliver (Diptera: Chironomidae) in the Okanagan Valley, British Columbia, 979.

Marshall, S.A. *Pullimosina (Dahlimosina) bladesi*, a new sphaerocerid (Diptera, Sphaeroceridae, Limosininae) from Canadian peatlands, 409.

Marusik, Y.M., and **R. Leech.** The spider genus *Hypselistes*, including two new species, from Siberia and the Russian Far East (Araneida: Erigonidae), 1115.

McCloskey, C., J.T. Arnason, N. Donskov, R. Chenier, J. Kaminski, and **B.J.R. Philogène.** Third trophic level effects of azadirachtin, 163.

McFarlane, J.W. See Lyons et al., 499.

McLean, J.A. See Liu and McLean, 73.

McLean, J.P. See Gilkeson et al., 161.

Morse, J.G. See Bellows and Morse, 987.
See Bellows et al., 995.

Murrell, D.C. See Soroka and Murrell, 815.

Mwangala, F.S., and **T.D. Galloway.** Susceptibility of horn flies, *Haematobia irritans* (L.) (Diptera: Muscidae), to pyrethroids in Manitoba, 47.
Dynamics of pyrethroid resistance in horn fly, *Haematobia irritans* (L.) (Diptera: Muscidae), populations on tagged and untagged cattle in Manitoba, 839.

O'Hara, J.E. Revision of the species of *Frontiniella* Townsend (Diptera: Tachinidae), 11.

Oma, E.A., and **D.A. Streett.** Production of a grasshopper entomopoxvirus (Entomopoxvirinae) in *Melanoplus sanguinipes* (F.) (Orthoptera: Acrididae), 1131.

Oostendorp, A. See Teal et al., 355.

Otrosina, W.J. See Ferrell et al., 895.

Paine, T.D., F.M. Stephen, and **R.G. Cates.** Within- and among- tree variation of the induced response of loblolly pine to a fungus associated with *Dendroctonus frontalis* Zimmermann (Coleoptera: Scolytidae) and sterile wounding, 65.

Palaniswamy, P. See Lamb et al., 703.

Palaniswamy, P., and **R.J. Lamb.** Wound-induced antixenotic resistance to flea beetles, *Phyllotreta cruciferae* (Goeze) (Coleoptera: Chrysomelidae), in crucifers, 903.

Payne, N.J. See van Frankenhuyzen and Payne, 473.

Peck, S.B., and **M. Balke.** A synopsis of the Dytiscidae of the Galapagos Islands, Ecuador, with description of *Rhantus galapagoensis* sp.nov. (Coleoptera: Dytiscidae), 259.

Peschken, D.P., R.J. Gagné, and **K.C. Sawchyn.** First record of the dandelion leaf-gall midge, *Cystiphora taraxaci* (Kieffer, 1888) (Diptera: Cecidomyiidae), in North America, 913.

Peschken, D.P., and **K.C. Sawchyn.** Host specificity and suitability of *Apion hookeri* Kirby (Coleoptera: Curculionidae), a candidate for the biological control of scentless chamomile, *Matricaria perforata* Mérat (Asteraceae), in Canada, 619.

Peschken, D.P., K.C. Sawchyn, and **D.E. Bright.** First record of *Apion hookeri* Kirby (Coleoptera: Curculionidae) in North America, 629.

Philogène, B.J.R. See McCloskey et al., 163.

Pintureau, B. Morphometric analysis of the genus *Trichogramma* Westwood (Hymenoptera: Trichogrammatidae) in Europe, 367.

Pivnick, K.A. See Lamb et al., 703.
Diapause initiation and pupation site selection of the braconid parasitoid *Microplitis mediator* (Haliday): A case of manipulation of host behaviour, 825.

Pivnick, K.A., and **E. Labbé.** Daily patterns of activity of females of the orange wheat blossom midge, *Sitodiplosis mosellana* (Géhin) (Diptera: Cecidomyiidae), 725.

Prokopy, R.J., S.S. Cooley, L. Galarza, C. Bergweiler, and **C.R. Lauzon.** Bird droppings compete with bait sprays for *Rhagoletis pomonella* (Walsh) flies (Diptera: Tephritidae), 413.

Quednau, F.W. Reproductive biology and laboratory rearing of *Ceranthia samarensis* (Villeneuve) (Diptera: Tachinidae), a parasitoid of the gypsy moth, *Lymantria dispar* (L.), 749.

Raffa, K.F. See Hunt et al., 1003.

Richards, K.W. See Schaber et al., 881.

Ring, R.A. See MacRae and Ring, 979.

Salom, S.M. See Hunt et al., 1003.

Sample, B.E., L. Butler, and **R.C. Whitmore.** Effects of an operational application of Dimilin® on non-target insects, 173.

Sanders, C.J. Non-target Lepidoptera captured in traps baited with spruce budworm pheromone in Ontario, 1067.

Sawchyn, K.C. See Peschken and Sawchyn, 619.
See Peschken et al., 629.
See Peschken et al., 913.

Schaafsma, A.W., G.H. Whitfield, T.J. Gillespie, and **C.R. Ellis.** Evaluation of infrared thermometry as a non-destructive method to detect feeding on corn roots by western corn rootworm (Coleoptera: Chrysomelidae), 643.

Schaber, B.D. See Kokko et al., 93.
Schaber, B.D., E.G. Kokko, T. Entz, and **K.W. Richards.** The effect of spring burning of seed alfalfa fields on leaf characteristics and on mandibular wear of female leafcutter bees [*Megachile rotundata* (F.)] (Hymenoptera: Megachilidae), 881.
Scharbach, R.D. See Cadogan and Scharbach, 479.
Schmid-Hempel, P., M.L. Winston, and **R.C. Ydenberg.** INVITATION PAPER (C.P. Alexander Fund): Foraging of individual workers in relation to colony state in the social Hymenoptera, 129.
Schmidt, J.M. A comparison of the sensory morphology of the cephalic region of first- and third-instar *Arachnidomyia aldrichi* (Parker) (Diptera: Sarcophagidae), 101.
Sequeira, R., and **M. Mackauer.** The nutritional ecology of a parasitoid wasp, *Ephedrus californicus* Baker (Hymenoptera: Aphidiidae), 423.
Smith, G. See Sweeney et al., 403.
Smith, I.M. See Cramer and Smith, 769.
Smith, M.A.H. See Lamb et al., 703.
See Lamb et al., 1023.
Sorkin, L. See Cady et al., 931.
Soroka, J.J., and **D.C. Murrell.** The effects of alfalfa plant bug (Hemiptera: Miridae) feeding late in the season on alfalfa seed yield in northern Saskatchewan, 815.
Spence, J.R. See Henriquez and Spence, 693.
Stephen, F.M. See Paine et al., 65.
Stewart, R.K. See Al-Ghamdi et al., 407.
Stratton, G. See Cady et al., 931.
Streett, D.A. See Lange and Streett, 1127.
See Oma and Streett, 1131.
Streett, D.A., and **S.A. Woods.** Epizootiology of a *Nosema* sp. (Microsporida: Nosematidae) infecting the grasshopper *Chorthippus curtipennis* (Harris) (Orthoptera: Acrididae), 457.
Sweeney, J.D. See Turgeon and Sweeney, 637.
Sweeney, J.D., G. Gesner, and **G. Smith.** Occurrence of deathwatch cone beetle, *Ernobius bicolor* White (Coleoptera: Anobiidae), in cones of black spruce, *Picea mariana* (Mill.) B.S.P., in Nova Scotia, 403.
Teal, P.E.A., A. Oostendorp, and **J.H. Tumlinson.** Induction of pheromone production in females of *Heliothis virescens* (F.) and *H. subflexa* (Gn.) (Lepidoptera: Noctuidae) during the photophase, 355.
Teerling, C.R., D.R. Gillespie, and **J.H. Borden.** Utilization of western flower thrips alarm pheromone as a prey-finding kairomone by predators, 431.
Teulon, D.A.J. See Felland et al., 971.
Thomson, D.R. See Judd et al., 945.
Timbers, G.E. See Hagley et al., 721.
Timlick, B.H., W.J. Turnock, and **I. Wise.** Distribution and abundance of *Lygus* spp. (Heteroptera: Miridae) on alfalfa and canola in Manitoba, 1033.
Trimble, R.M. Efficacy of mating disruption for controlling the grape berry moth, *Endopiza viteana* (Clemens) (Lepidoptera: Tortricidae), a case study over three consecutive growing seasons, 1.
Troubridge, J.T. See Fitzpatrick and Troubridge, 1135.
Troubridge, J.T., and **S.M. Fitzpatrick.** A revision of the North American *Operophtera* (Lepidoptera: Geometridae), 379.
Tumlinson, J.H. See Teal et al., 355.
Turgeon, J.J., and **J.D. Sweeney.** Hosts and distribution of spruce cone maggots (*Strobilomyia* spp.) (Diptera: Anthomyiidae) and first record of *Strobilomyia appalachensis* Michelsen in Canada, 637.
Turnock, W.J. See Timlick et al., 1033.
Unruh, T.R., and **R.L. Chauvin.** Elytral punctures: A rapid, reliable method for marking Colorado potato beetle, 55.
van Frankenhuyzen, K., and **N.J. Payne.** Theoretical optimization of *Bacillus thuringiensis* Berliner for control of the eastern spruce budworm, *Choristoneura fumiferana* Clem. (Lepidoptera: Tortricidae): Estimates of lethal and sublethal dose requirements, product potency, and effective droplet sizes, 473.
Van Loon, J. See Fields et al., 317.
Vickery, V.R. Revision of *Timema* Scudder (Phasmatoptera: Timematodea) including three new species, 657.
Weiss, R.M., and **C. Gillott.** The biology of the lesser clover leaf weevil, *Hypera nigrirostris* (Fab.) (Coleoptera: Curculionidae), on red clover, *Trifolium pratense* L., in Saskatchewan, 831.
Weseloh, R.M. Behavior of the gypsy moth predator, *Calosoma sycophanta* L. (Carabidae: Coleoptera), as influenced by time of day and reproductive status, 887.
Whitfield, G.H. See Schaafsma et al., 643.
Whitmore, R.C. See Sample et al., 173.
Winston, M.L. See Wyborn et al., 113.
See Schmid-Hempel et al., 129.
Wise, I. See Timlick et al., 1033.

Woods, S.A. See Streett and Woods, 457.
Wright, B. See Landry and Wright, 549.
Wyborn, M.H., M.L. Winston, and **P.H. Laflamme.** Mass storage of honey bee (Hymenoptera: Apidae) queens during winter, 113.
Ydenberg, R.C. See Schmid-Hempel et al., 129.
Yu, D.S. See Byers et al., 329.